

Search by Sight: Google[®] goggles

Speaker: David Petrou

Alessandro Bissacco, Anand Pillai, Andrew Harp, Andrew Hogue, Andrew Rabinovich, Anthony Sciola, Casey Ho, Chuck Rosenberg, David Petrou, Fernando Brucher, Gabe Taubman, Hartmut Neven, Hartwig Adam, Henry Rowley, Jiayong Zhang, Johannes Steffens, John Flynn, Laura Garcia-Barrio, Lijia Jin, Matt Bridges, Matt Casey, Max Braun, Mihai Badoiu, Rafael Spring, Sergey Ioffe, Shailesh Nalawadi, Ulrich Buddemeier, Xiaotao Duan, Yuan Li



The What of Google Goggles

• Search by sight / Search by pointing

The How of Goggles

- What can we recognize and how well?
- What does not work?
- The process of Goggles

Digression on Augmented Reality



Where's Goggles going?



Google Goggles is a mobile visual search application currently available for Android mobile phones that lets a user submit a search query by taking a picture.



What's in front of you?



Golden Gate Bridge - Wikipedia, the free encyclopedia

The **Golden Gate Bridge** by night, with part of downtown **San Francisco** ... **Golden Gate Bridge** is the most popular place to commit suicide in the **United States** ...

http://en.wikipedia.org/wiki/Golden_Gate_Bridge

Seacliff Webcam - Weather Seacliff, Golden Gate Bridge (Seacliff ...

Seacliff webcam (Golden Gate Bridge) - Weather Seacliff (United States, North America). ... Travel webcam Ocean Beach, San Francisco, United States ...

http://www.webcams.travel/webcam/118355135...



🛃 www.google.com: - - Google Search

🏠 La Taza Deoro Inc

96 8th Avenue New York, NY 10011-5104



nymag.com - web site

**** 21 reviews

"I loved the atmosphere, service and food." ... "This is a good place to get a nice, quick meal." ... "It's like a latino greasy spoon." ... "The decor has been the same for as long as I can remember." ... "Great, friendly service." ... "Food is great, but not fancy..." ... "The bathroom is m"

citysearch.com, judysbook.com, zagat.com









Google goggles labs

Enable search history?

With search history, you'll be able to view and manage saved copies of the pictures you take.

Your images will also be retained by Google to help improve our service.

Learn more »




Enable history



Disable history







Use cases - Demos

I know what this is...bring it into my phone and tell me more

- OCR > canonical article, products, restaurants, ...
- $\circ\,$ Photo taking is faster than typing
- o Barcodes problematic for advertising, so let's do more!

I don't know what this is...tell me

- o Landmarks, long-tail objects, foreign language
- o Impossible to type!

O Trivia night

You are a superhero



I used google goggles earlier to identify the place shown in a picture in a restaurant. It gave perfect results. Twitter - 44 minutes ago

Thomas Jefferson Memorial... I did not know what it is, Google Goggles found it out. Amazing. Google Buzz - 3 hours ago



Universal search

- $\circ~$ Moment of truth for computer vision
- o Painfully aware of all the things we can not recognize well
- Much harder than serving a particular vertical
- Plenty of opportunity for false positives

Results need to be specific

Instance not class recognition

Put best foot forward, show best few results

Dealing with ambiguity at several levels


To the degree possible, do not force the user to select modes

Need the cloud for the corpora

Need image processing (GPS not sufficient)


Distinguishes Goggles from many Augmented Reality apps

Some statistics




- For about 33% of the queries we return a specific result
- In internal pre-launch testing >25% of queries included faces.
 Not supported until appropriate privacy models have been established!
- A lot of use in Hawaii ;-)

Recognition disciplines currently supported





Multi-tunnel vision

Recognition disciplines that work and do not work




- Show a result for every query: similar images
- Learn from usage and ratings








Recognition disciplines supported









A picture is worth at least a thousand words
 O How do we pick the best three?

Consider an image with many disparate objects


Can we discern which object the user cares about?
Use popularity of objects?
Boost an object if OCR fires with text like its name?
Use UI tricks? Led to the Goggles 1.2 UI

Consider one object that cause many backends to fire
 How can we combine the votes of many backends?



Textured object recognition

- Textured defined as sufficient number of interest points
- Supports many recognition channels
- CONGAS engine
- Can be driven to very low false positive rates



TOTO: The Other Textured Objects

- Often QVGA resolution suffices
- Takes 0.2 sec per image
- O(10⁷) images from Image Search
 Discerning text labels: can feel like magic

Demo





Alternative input methodology Add to contacts, fill in text fields, etc.

Les 6 Huîtres spéciales Gillardeau n°4



Asperges de pays Sauce wasabi, Jambon cru Salade de mesclun


Velouté de poireaux et de pommes de terre Dés de fromage frais Crème au lard fumé



Translation Foreign menus, travel signs, etc.


Result Support Subtitle often identifies specific product





Multiple uses for text Translation









Word level recall/precision of OCR

- Word level recall below 20%
- Needs VGA resolution
- Takes 3 sec per image




Text recognition challenges





Curved text, handwritten, non-frontal, reflections, ...



- Lots of different people contributing lots of different ideas to a really hard problem: universal visual search
- Problem comes up of how to combine these ideas

 How to return relevant results, disambiguate user intent?
 Achieved something that's more than the sum of its parts.


Integration Science

 Balance between capability of technology and bits of creativity

Digression into Augmented Reality

- Examples:
 - Navigation information
 - User generated updates and themes: Layar, Tonchidot





Sananga, eye drop entheogen used by the Yawanawa tribe



Enables hunters to better see monkeys



Enables hunters to better see monkeys





Augmented Reality

View of a physical real-world environment augmented by computer-generated imagery R. Azuma 1997, P. Milgram and A. F. Kishino 1994

Generalization

Presentation of information as a function of the environmental context


Not: Visual Search

Using an image as a search query

Not: Wearing a head mounted display



If this is our future, then maybe AR Is not all that important





Augmented Reality requires a physical reality one is interested in

Kaiser Family Foundation: Today, 8-18 year-olds devote an average of **7 hours and 38 minutes** (7:38) to using entertainment media across a typical day (more than 53 hours a week).

And because they spend so much of that time 'media multitasking' (using more than one medium at a time), they actually manage to pack a total of **10 hours and 45 minutes** (10:45) worth of media content into those 7½ hours.



Augmented Reality requires a physical reality one is interested in

- Prerequisite is a novel object in my environment or the availability of novel information about an object nearby.
- Hence AR may not meet the bar of daily engagement.
- Same holds for visual search.



100:1 ratio between *internally* and *externally* triggered searches

- Less opportunity for externally triggered searches
 Internal searches can be tucked away
 - External searches need immediate action
- If performed it feels magical and is often of high utility
- Most valuable when there is no voice or text substitute:
 - Faces (who is this colleague next to me?)
 - Disclaimer: Face recognition will only be offered once acceptable privacy models have been established
 - Restaurant in Tokyo for person who does not speak Japanese
- High convenience
 - \circ Barcode
 - Add business card to contacts
 - Text for translation

Sources of Augmentation From *Memory*

Marrying Goggles recognition with AR

- AppSphere recognition
- Realtime interactive combination of virtual and physical, registered in 3D


Demo




Sources of Augmentation From Sensors

Multispectral camera

- Infrared: find your pet
- Ultraviolet: Determine quality of food



Query delay by network type



time between queries

- The faster Goggles responds, the more usage we have
- It's good to respond fast even (especially) when we can't give the right answer
 - The user will resend the query if the shot was unlucky




What determines latency?

- Client delays
 - \circ Camera focusing: 1.5 s
 - \circ Picture acquisition: 2 s
 - \circ Image (re) encoding
- Network delay (upstream bandwidth): Variance!
- Highly heterogenous image recognition backends
- Rendering results


Problem: Goals at odds

- Universal visual search
 - Barcode and place recognition very different
- High quality visual search
 - OCR can use all the time it can get
- Low latency
 - Support browsing, fail-fast, user satisfaction






Book cover, waiting for all results



Business card, streaming results





If we had faster hardware...

Textured 2D recognition improvements

 More complex features used in recognition
 3D modeling to help constrain the search space

• OCR

Fewer timeouts mean greater accuracy and determinism
 Larger dicts, multiple binarizers, overlapping patches
 Matching with all possible characters at all fonts

- Improved tracking
 - Sudden / fast movements in low-textured regions
 - AR without known textured objects
- Selecting the best frame to process

 Superresolution to enhance resolution / remove noise



- Client-side
 - Fine flash control
 - \circ FoV, whitebalance, depth estimation, ...
 - \circ Reducing time-to-picture
 - Faster focus, Faster shutter and writing to memory
 - \circ Faster GPUs / short video-memory read time
- Server-side
 - Memory bandwidth & larger caches
 - For feature extraction / classification
 - Greater parallelism: SIMD for basic linear algebra
 - \circ Handle higher-resolution images

Potential future, given such advances

- Ease friction in financial transactions
 O Photograph checks, credit card numbers
- Use a front facing camera to detect if the user is happy
- Solve a Sudoku puzzle
- What would it mean if the camera was always on?
 - \circ Replay that lecture I attended
 - Recall the name of the restaurant I ate during trip
 - Collaborative 3D model reconstruction
 - o New twist on smart dust?
- Don't forget battery life



- Sheer scale How many artworks do we know?
- High quality labels (sometimes)
- Added intelligence Translate
- Killer app Find online versions of tests
- Soon there will be a companion looking over your shoulder knowing more about every item in your field of view!





- Sheer scale How many artworks do we know?
- High quality labels (sometimes)
- Added intelligence
 Translate
- Killer app Find online versions of tests
- Soon there will be a companion looking over your shoulder knowing more about every item in your field of view!

twitter

Login Join Twitteri

So just for the fun of it, I decided to use Google goggles on my physics final. Turns out the whole test is online. A+ here I come!

In physics we had to name 5 scientists by photo, got a 100% thanks to Google goggles. Droid +1.

10:30 AM Mar 16th via teldroid



Goggles going mainstream

• Smartphone needed

"Smartphone sales to end users accounted for 19 percent of worldwide mobile device sales, an increase of 50.5 percent from the second quarter of 2009."

Cheap and fast network needed

Table 2

Worldwide Smartphone Sales to End Users by Operating System in 2Q10 (Thousands of Units)

Company	2Q10 2Q10 Units	Market Share (%)	2Q09 Units	2Q09 Market Share (%)
Symbian	25,386.8	41.2	20,880.8	51.0
Research In Motion	11,228.8	18.2	7,782.2	19.0
Android	10,606.1	17.2	755.9	1.8
iOS	8,743.0	14.2	5,325.0	13.0
Microsoft Windows Mobile	3,096.4	5.0	3,829.7	9.3
Linux	1,503.1	2.4	1,901.1	4.6
Other OSs	1,084.8	1.8	497.1	1.2
Total	61,649.1	100.04	40,971.8	100.0



- iPhone version by end of year
- Significant cost to writing client applications

 Separate code bases for each platform
 Difficult to test -> infrequent version updates
- Is there a standard platform? It's called a browser.
- Can Goggles be a Web app?
 - \circ Need fine control of camera. Some HTML5 support.
 - <u>http://www.w3.org/TR/html-media-capture/</u>
 - \circ Need device sensors.
 - \circ Need fine control of network.
 - Where should computation happen?





- Progress toward universal visual search

 When it works, it's brilliant; but it does not always work
 Increased coverage and accuracy (algo improvements)
 Increase level of cross-engine inference
- Allow for 3rd party feeds and user annotations: self-service interface to add pics to Goggles
- Third-party APIs
 - Currency converter?
 - An app to go through photo album, Goggling each pic?
 - What would you use it for?
- Augmented reality presentation when it is the superior UI
- Combine external and internal searches
- Audio-visual search




Universal

- Makes it more difficult compared to vertical solutions
- $\circ\,$ Needs very low false positive rate

To the degree possible, do not force the user to select modes

Specificity

- Object instance more important than object class recognition
- Put best foot forward
- Recall, precision, scale, and speed



Thank you!



Alessandro Bissacco, Anand Pillai, Andrew Harp, Andrew Hogue, Andrew Rabinovich, Anthony Sciola, Casey Ho, Chuck Rosenberg, David Petrou, Fernando Brucher, Gabe Taubman, Hartmut Neven, Hartwig Adam, Henry Rowley, Jiayong Zhang, Johannes Steffens, John Flynn, Laura Garcia-Barrio, Lijia Jin, Matt Bridges, Matt Casey, Max Braun, Mihai Badoiu, Rafael Spring, Sergey Ioffe, Shailesh Nalawadi, Ulrich Buddemeier, Xiaotao Duan, Yuan Li